NITCO LIMITED

Nitco House, Sheth Govindram
Jolly Marg, Kanjur Marg (E),
Mumbai - 400042.

exportsales@nitco.in.

www.nitco.in | 1800 266 4826

NITCO

TILES MARBLE MOSAICO

THE ART OF
SURFACES

CERSAIE
2026

StoneScape
Collection





Africa

Botswana I Burkina Faso I Burundi I Benin
Cameroon I D.R.Congo I Ethiopia I Ivory Coast
Kenya I Mauritius I Malawi I Nigeria I Rwanda I Somalia
Senegal I Seychelles I South Africa I Tanzania I Uganda

Asia

Bhutan I Bangladesh I Brunei I Maldives
Nepal I Sri Lanka I Taiwan I Thailand

Middle East

Bahrain I Iraq I Israel I Kuwait I Oman
Qatar I Turkey I UAE

Europe

Albania I Belgium I Croatia I Cyprus I Estonia
Germany I Greece I Hungary I Ireland I Latvia
Lithuania I Malta I Poland I Portugal I Slovenia I UK

CIS

Kazakhstan I Uzbekistan

Oceania

Australia I Fiji

North America

Canada I USA

South America

Argentina I Brazil I Guatemala

Latam

Honduras I Venezuela

Carribean

Barbados I Trinidad & Tobago I West Indies

Where inspiration drives belief. Where nature motivates surface designs. Where innovation and world class technology make it happen.

We are NITCO, India's premium tiles, marble & mosaic brand. As trendsetters, we are the preferred choice of architects in the country. Our premium surfaces make you feel closer to nature. Come, soak in the beauty of nature in every form & give your space the rejuvenation they need.

ABOUT US

For over 70 years, NITCO has been a leader in the surface industry, known for its innovation, quality, and sustainability. As the only global company offering Tiles, Marble, and Mosaic, we blend cutting-edge technology with nature-inspired designs, making us the preferred choice for architects, builders, and discerning clients.

NITCO's rich legacy of trust and quality has shaped some of India's most iconic buildings and townships. Recognized globally for exceptional craftsmanship and certified quality, NITCO continues to set benchmarks in the industry, with a presence in over 55 countries.

With a robust network of 650+ dealers, 10 exclusive Le Studio experience centers, and 150+ franchise stores across India and Nepal, NITCO ensures easy access to all its products. Our global footprint extends our reach, making our products a favorite among clients worldwide.

CERTIFIED FOR A BETTER TOMORROW

QUALITY.
SAFETY.
SUSTAINABILITY.



ReSA
Compliant

NITCO is the only company in the world with Tiles, Marble and Mosaic under one roof. Enabling the delivery of globally benchmarked products.

NITCO es la única Empresa Fabricante en el Mundo con Revestimientos y Baldosas Porcelánicas, Azulejos, Mármol, y Mosaico bajo un mismo techo, lo que permite la entrega de Productos, con una cota de referencia, a nivel global.

PORCELAIN STONESCAPE

Crafted for Character

A collection of porcelain stonescape where enduring performance meets contemporary design. Inspired by the natural beauty of stone, each surface brings depth, texture and character to outdoor spaces. Designed for versatility and lasting appeal, the collection creates seamless transitions between architecture and the outdoors.

M
306
X
221
mm

(2 RELIEFS)

S
215
X
145
mm

(3 RELIEFS)

Category	Surface	Size	Thickness
Porcelain StoneScape	R10	M-306 x 221 mm (2 Reliefs) S-215 x 145 mm (3 Reliefs)	12 MM

Midnight **Slate**



75 Randoms



The image is for representation purpose only.



The image is for representation purpose only

Category	Surface	Size	Thickness
Porcelain StoneScape	R10	M-306 x 221 mm (2 Reliefs) S-215 x 145 mm (3 Reliefs)	12 MM

Alpine **Mist**



75 Randoms

Category	Surface	Size	Thickness
Porcelain StoneScape	R10	M-306 x 221 mm (2 Reliefs) S-215 x 145 mm (3 Reliefs)	12 MM

Rustic **Slate**



75 Randoms



The image is for representation purpose only



The image is for representation purpose only

Category	Surface	Size	Thickness
Porcelain StoneScape	R10	M-306 x 221 mm (2 Reliefs) S-215 x 145 mm (3 Reliefs)	12 MM

River **Pebble**



75 Randoms

RIVER **PEBBLE**

The image is for representation purpose only



The image is for representation purpose only



MIDROCK

2 Reliefs(By Mould) | 306 x 221 mm



STONEDOT

3 Reliefs(By Mould) | 215 x 145 mm

R10

Surface 12mm

Packing Detail

Stone	Thickness	No. of Tiles	Coverage Area (SQM)	Coverage Area (SQFT)	Weight/ Box (SQFT)
S - 145 x 215 mm	12 mm	12	0.3	3.228	8.04 Kg
M - 221 x 306 mm	12 mm	6	0.3	3.228	8.04 Kg
Total	**-**	**18**	**0.6**	**6.456**	**16.5 Kg**

Pallet Packing Detail

Stone	Thickness	No.of Tiles /Box	Coverage Area (SQM)/Box	Weight/ Box (In Kg.)	Box/ Pallet	SQM/ Pallet	Weight/ pallet (In Kg.)	Total Pallet/ Container	SQM/ Container	Net Weight/ (In Kg.)
S - 145 x 215 mm M - 221 x 306 mm (All size in one Box)	12 mm	18	0.6	16.5	60	36	990	28	1008	27720

Pallet size: 119.38 x 71.12 cm





Technical Specifications Porcelain StoneScape, 12 mm

Test Description	Reference Standard	Our Value	Test Method
Length & width	± 0,3	Suitable for	ISO 10545-2
Thickness	± 0,5	Suitable for	
Straightness of sides	± 0,3	Suitable for	
Rectangularity	± 0,3	Suitable for	
Surface flatness	c.c. ± 0,4 / e.c. ± 0,4 / w. ± 0,4	c.c. ± 0,2 / e.c. ± 0,2 / w. ± 0,2	ISO 10545-2
Water absorption (% by mass)	EV ± 0,5 % individual	EV ≤ 0,5 %	ISO 10545-3
Breaking strength	S ≥ 1300 N	≥ 10000 N	ISO 10545-4
Modulus of rupture	R ≥ N/mm²	R ≥ 45 N/mm²	
Impact resistance (restitution)	Declared value	≥ 0.55	ISO 10545-5
Mohs hardness	6	7	EN 101
Deep abrasion (removed volume)	≤ 175 mm³	≤ 150 mm³	ISO 10545-6
Thermal linear expansion	Declared value	≤ 7 MK-1	ISO 10545-8
Thermal shock resistance	Pass, EN ISO 10545-1	Resistant	ISO 10545-9
Moisture expansion (mm/m)	Declared value	≤ 0.01% (0,1 mm/m)	ISO 10545-10
Frost resistance	Pass, EN ISO 10545-1	Resistant	ISO 10545-12
Bond strength (cementitious adhesives)	Declared value	≥ 1 N/mm² (C2, EN 12004)	EN 1348
Fire resistance		Non combustible	
Household chemicals & pool salts	Minimum Class B	A	ISO 10545-13
Low conc. acids and alkalis	Declared class	LA	
High conc. acids and alkalis	Declared class	HA	
Resistance to staining	Declared class	5	ISO 10545-14
Skid resistance	Declared value	R10	DIN 51130
Pendulum friction test	PTV ≥ 36	≥ 36 dry / ≥ 36 wet	BS 7976
Coefficient of friction (COF)	μ ≥ 0,40	≥ 0,40 dry / ≥ 0,40 wet	B.C.R.A. Rep. CEC/81

Values as declared by the manufacturer. Natural variation in shade and outline is inherent to the stone-look design. Images are for reference; please view actual tiles before final selection.